# Safety Data Sheet



## PLATINUM® 75SG INSECTICIDE

Date: 7/ Replaces: 8

7/26/2017 8/5/2015

### **1. PRODUCT IDENTIFICATION**

| Product identifier on labe | E PLATINUM® 75SG INSECTICIDE                           |
|----------------------------|--|
| Product No.:               | A9549C   |
| Use:                       | Insecticide  |
| Manufacturer:              | Syngenta Crop Protection, LLC<br>Post Office Box 18300 |
|                            | Greensboro NC 27419                                    |
| Manufacturer Phone:        | 1-800-334-9481   |

# Emergency Phone: 1-800-888-8372

### 2. HAZARDS IDENTIFICATION

| Classifications:    | Flammable Solid: Category 1 |
|---------------------|-----------------------------|
| Signal Word (OSHA): | Warning                     |
| Hazard Statements:  | Flammable solid             |

### Hazard Symbols:



| Precautionary Statements: | Read label before use.  |
|---------------------------|---|
|                           | Keep away from heat, sparks, open flames, hot surfaces. No smoking.     |
|                           | Ground and bond container and receiving equipment.                      |
|                           | Use explosion-proof electrical, ventilating, lighting equipment.        |
|                           | Wear protective gloves, protective clothing, eye protection.            |
|                           | In case of fire: Use dry chemical, foam or CO2 for extinction.          |
|                           | Dispose of contents and container in accordance with local regulations. |
|                           |   |

Other Hazard Statements: May form combustible dust concentrations in air.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name     | Common Name       | CAS Number   | Concentration |
|-------------------|-------------------|--------------|---------------|
| Antifoam Agent    | Antifoam Agent    | Trade Secret | Trade Secret  |
| Starch            | Starch            | 9005-25-8    | Trade Secret  |
| Wetting Agent     | Wetting Agent     | Trade Secret | Trade Secret  |
| Other ingredients | Other ingredients | Trade Secret | < 25.0%       |

### Safety Data Sheet



### PLATINUM® 75SG INSECTICIDE

Date:

7/26/2017

Replaces: 8/5/2015

3-(2-chloro-1,3-thiazol-5-ylmethyl)-5methyl-1,3,5-oxadiazinan-4ylidene(nitro)amine 153719-23-4

75.0%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

### 4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

| Ingestion: | If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment          |
|------------|--|
| -          | advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888- |
|            | 8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.            |

- Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

#### Most important symptoms/effects:

Not Applicable

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

### **5. FIRE FIGHTING MEASURES**

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

This material can be thermally unstable at elevated temperatures. The material is thermally stable at normal ambient temperatures. It is good practice to store the material away from sources of heat such as steam pipes, radiators or heaters.

Fire will spread by burning with flame.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

See also Sec. 7.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures: Follow exposure controls/personal protection outlined in Section 8.



Date: 7/26/2017 Replaces: 8/5/2015

Methods and materials for containment and cleaning up:

Avoid dust formation.

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Sweep up material and place in a compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

### 7. HANDLING AND STORAGE

Precautions for safe handling:

This material is capable of forming flammable dust clouds in air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material. Electrical equipment should be compatible with the flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flammable solvents.

In general personnel handling this material and all conducting equipment should be electrically earthed or grounded. Bulk bags (FIBC) used to contain this material should be Type B, Type C or Type D. Type C bags must be electrically grounded or earthed before powder is charged to or discharged from the bag. If metal or fiber drums are used to contain this material, make certain the metal parts are bonded to the filling equipment and grounded.

This material can become readily charged in most operations.

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Not Applicable

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

### FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

| Chemical Name     | OSHA PEL   | ACGIH TLV   | Other  | Source         |
|-------------------|--|---|--|----------------|
| Antifoam Agent    | Not Established  | Not Established   | Not Established                                | Manufacturer   |
| Starch            | 15 mg/m³ (total) TWA; 5<br>mg/m³ (resp) TWA                      | 10 mg/m³ TWA  | 10 mg/m³ (total)<br>TWA; 5 mg/m³<br>(resp) TWA | NIOSH          |
| Wetting Agent     | Partiulates TWA 5 mg/m³<br>(respirable) 15 mg/m³ (total<br>dust) | Partiulates TWA 3<br>mg/m³ (respirable)<br>10 mg/m³ (inhalable) | Not Established                                | Manufacturer   |
| Other ingredients | Not Established  | Not Established   | Not Established                                | Not Applicable |
| Thiamethoxam      | Not Established  | Not Established   | 3 mg/m³ TWA                                    | Syngenta       |

### Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).



Date: Replaces: 7/26/2017 8/5/2015

### Individual protection measures:

### Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

### Eye Contact:

Where eye contact is likely, use dust-proof chemical goggles.

#### Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

### Inhalation:

A particulate filter respirator may be necessary until effective engineering controls are installed to comply with occupational exposure limits. Use NIOSH certified respirator with any N, R, P or HE filter. Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance: Grey beige to brownish granules<br>Odor: Not determined |
|---|
| Odor Threshold: Not Available                                       |
| pH: 6 - 8 (1% in deionized water)                                   |
| Melting point/freezing point: Not Available                         |
| Initial boiling point and boiling range: Not Applicable             |
| Flash Point (Test Method): Not Available                            |
| Flammable Limits (% in Air): Not Available                          |
| Flammability: Combustible powder                                    |
| Vapor Pressure: Thiamethoxam 2 x 10(-11) mmHg @ 68°F (20°C)         |
| Vapor Density: Not Available  |
| Relative Density: 0.55 - 0.65 g/cm <sup>3</sup>                     |
| Solubility (ies): Thiamethoxam 4.1 g/l @ 77°F (25°C)                |
| Partition coefficient: n-octanol/water: Not Available               |
| Autoignition Temperature: Not Available                             |
| Decomposition Temperature: Not Available                            |
| Viscosity: Not Available  |
| Other: None   |



Date: Replaces: 7/26/2017 8/5/2015

### 10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical stability: Stable under normal use and storage conditions.

Possibility of hazardous reactions: Will not occur.

Conditions to Avoid: None known.

Incompatible materials: None known.

Hazardous Decomposition Products: None known.

### **11. TOXICOLOGICAL INFORMATION**

### Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Not Applicable

Delayed, immediate and chronic effects of exposure: Not Applicable

#### Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

| Ingestion:          | Oral (LD50 Rat) :             | > 5000 mg/kg body weight  |
|---------------------|-------------------------------|---------------------------|
| Dermal:             | Dermal (LD50 Rat) :           | > 5000 mg/kg body weight  |
| Inhalation:         | Inhalation (LC50 Rat) :       | > 2.57 mg/l air - 4 hours |
| Eye Contact:        | Non-Irritating (Rabbit)       |                           |
| Skin Contact:       | Non-Irritating (Rabbit)       |                           |
| Skin Sensitization: | Not a Sensitizer (Guinea Pig) |                           |

### Reproductive/Developmental Effects

Thiamethoxam: Developmental: Not teratogenic in rats or rabbits. Reproductive: No effects on reproduction. Minor increase in a common testis effect in rats at high doses, which did not affect reproduction.

#### Chronic/Subchronic Toxicity Studies

Thiamethoxam: Subchronic: Liver effects occurred in rodents only at high dose levels. Not neurotoxic after high acute and subchronic exposure in rats.

### **Carcinogenicity**

Thiamethoxam: Classified as "not likely to be carcinogenic in humans" based on lifetime studies in mice and rats.

| Chemical Name     | NTP/IARC/OSHA Carcinogen |
|-------------------|--------------------------|
| Antifoam Agent    | No                       |
| Starch            | No                       |
| Wetting Agent     | No                       |
| Other ingredients | No                       |
|                   |                          |



|          |  | LOHOIDE   |
|----------|--|---|
| Date:    | 7/26/2017  |   |
| Replaces | 8/5/2015   |   |
|          | chloro-1,3-thiazol-5-ylmethyl)-5-n<br>-oxadiazinan-4-ylidene(nitro)ami |   |
|          | Toxicity Information   |   |
| Toxici   | ty of Other Components   |   |
| Ar       | ntifoam Agent  |   |
|          |  | d throat. May cause an allergic reaction in sensitive individuals. Direct contact with ry discomfort with mild redness and dryness similar to windburn. |
| Ot       | ther ingredients   |   |
|          | Not Established  |   |
| St       | arch   |   |
|          | May cause eye and skin i   | rritation. May cause respiratory tract irritation.  |
| W        | etting Agent   |   |
|          | May cause slight irritation  | to the skin and moderate irritation to the eyes.  |
| Targe    | t Organs   |   |
|          | tive Ingredients   |   |
|          | iamethoxam:  | Liver   |
| Ine      | ert Ingredients  |   |
|          | ntifoam Agent:   | Eye, respiratory system   |
|          | her ingredients:   | Not Established   |
|          | arch:  | Eye, skin, respiratory tract  |
| W        | etting Agent:  | Eye, skin   |
|          | 0 0  |   |

### **12. ECOLOGICAL INFORMATION**

### **Eco-Acute Toxicity**

Thiamethoxam:

Fish (Rainbow Trout) 96-hour LC50 > 100 ppm Bird (Mallard Duck) LD50 Oral 576 mg/kg Invertebrate (Daphnia Magna) 48-hour EC50 > 106 ppm

Green Algae 4-day EC50 > 97 ppm

### **Environmental Fate**

Thiamethoxam:

The information presented here is for the active ingredient, thiamethoxam. Not persistent in soil. Stable in water. Moderate mobility in soil. Floats in water (after 24 h).

### **13. DISPOSAL CONSIDERATIONS**

#### Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

### Safety Data Sheet



### PLATINUM® 75SG INSECTICIDE

7/26/2017

Date:

Replaces: 8/5/2015

### **14. TRANSPORT INFORMATION**

#### **DOT Classification**

Ground Transport - NAFTA Proper Shipping Name: Flammable Solids, Organic, N.O.S. (Thiamethoxam) Hazard Class: Division 4.1 Identification Number: UN 1325 Packing Group: PG III

Comments

Water Transport - International Proper Shipping Name: Flammable Solids, Organic, N.O.S. (Thiamethoxam), Marine Pollutant Hazard Class: Division 4.1 Identification Number: UN 1325 Packing Group: PG III

Air Transport Proper Shipping Name: Flammable Solids, Organic, N.O.S. (Thiamethoxam) Hazard Class: Division 4.1 Identification Number: UN 1325 Packing Group: PG III

### **15. REGULATORY INFORMATION**

### Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Causes moderate eye irritation. Harmful if swallowed, absorbed through skin or inhaled. Avoid contact with eyes, skin, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

EPA Registration Number(s):

100-1291

EPCRA SARA Title III Classification:

| Section 311/312 Hazard Classes: | Acute Health Hazard |
|---------------------------------|---------------------|
|                                 | Fire Hazard         |

Section 313 Toxic Chemicals: None

CERCLA/SARA 304 Reportable Quantity (RQ): None RCRA Hazardous Waste Classification (40 CFR 261): Not Applicable TSCA Status: Exempt from TSCA, subject to FIFRA

information contained herein.

Date: 7/26/2017

Replaces: 8/5/2015

### **16. OTHER INFORMATION**

| PA Hazard Ratings                       |                       | HMIS Hazard Ratings | 2        | 0 | Minimal  |
|---|-----------------------|---------------------|----------|---|----------|
| Health:                                 | 0                     | Health:             | 0        | 1 | Slight   |
| Flammability:                           | 3                     | Flammability:       | 3        | 2 | Moderate |
| Instability:                            | 0                     | Physical Hazard:    | 0        | 3 | Serious  |
| -                                       |                       |                     |          | 4 | Extreme  |
| Syngenta Ha                             | azard Category: A     |                     |          | * | Chronic  |
|   |                       | 1-800-334-94        | 481      |   |          |
|   |                       |                     |          |   |          |
| Original Issued Date:                   | 5/1/2007              |                     |          |   |          |
| Original Issued Date:<br>Revision Date: | 5/1/2007<br>7/26/2017 | Replaces:           | 8/5/2015 |   |          |

