/ersion I.18	Revision Date: 10/20/2015		SDS Number: 0000004030	Country: US Language: EN	
SECTION	1. IDENTIFICATION				
Produ	uct name	:	PROCURE® 48	OSC	
Produ	uct code	:	40000004030		
Manu	ufacturer or supplier's	deta	ails		
Comp	pany:		MacDermid Agrid 245 Freight St Waterbury, CT United States of A 06702 Telephone : +1 80		
Prepa	red by		sds.request@arys	ta.com	
			Further information for the safety data sheet : sds.request@arysta.com		
.4 Emerg	gency telephone numb	er			
Emer	gency telephone number:			ergency telephone numbers see section 16 of the	
Reco	ommended use of the o	hen	nical and restrict	ions on use	
Reco	mmended use	:	Fungicide		
Restr	ictions on use	:	Agriculture, For	professional users only.	
SECTION	2. HAZARDS IDENTIF		TION		
GHS	Classification				
	ific target organ toxicity	:	Category 2 (Bloo	od)	

- repeated exposure (Oral)	
Acute aquatic toxicity	: Category 1
Chronic aquatic toxicity	: Category 2

GHS Label element

PROCURE® 480SC

Version 1.18	Revision Date: 10/20/2015	MSDS Number: 400000004030	Country: US Language: EN
Hazai	rd pictograms		¥2
Signa	l word	: Warning	
Hazai	rd statements	or repeated exp H400 Very toxic	e damage to organs (Blood) through prolonged oosure if swallowed. to aquatic life. iquatic life with long lasting effects.
Preca	utionary statements	P273 Avoid rele Response: P314 Get medie P391 Collect sp Disposal:	eathe dust/ fume/ gas/ mist/ vapours/ spray. ease to the environment. cal advice/ attention if you feel unwell. illage. of contents/ container to an approved waste dis-
	r hazards known		

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

/ Mixture	:	Mixture
	•	winxture

Chemical nature

Substance

: Fungicide

Triflumizole - 4 lbs per gallon

Hazardous components

Chemical Name	CAS-No.	Concentration (% w/w)
1H-IMIDAZOLE, 1-(1-((4-CHLORO-2-(TRIFLUO	68694-11-1	>= 30 - < 50

SECTION 4. FIRST AID MEASURES

If inhaled	 If breathed in, move person into fresh air. Give oxygen or artificial respiration if needed. Consult a physician after significant exposure.
In case of skin contact	 If on clothes, remove clothes. Wash off immediately with plenty of water for at least 15 minutes. If skin irritation occurs, seek medical advice/attention. Wash contaminated clothing before re-use. Destroy contaminated shoes.
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids,

Version 1.18	Revision Date: 10/20/2015	MSDS Number: 400000004030	Country: US Language: EN
		for at least 15 Get medical att	minutes. ention if irritation develops and persists.
If swallowed		Call a physician	ce vomiting. bunts of water to drink. n or poison control centre immediately. thing by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed		: Symptoms ma May cause da exposure.	ay be delayed. Image to organs through prolonged or repeated
Notes	to physician	•	rocedure should be established in consultation responsible for industrial medicine.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Extinguishing media - large fires Alcohol-resistant foam (on small fires) Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	Water spray jet
Specific hazards during fire- fighting	:	Burning produces noxious and toxic fumes. Thermal decomposition can lead to release of irritating gases and vapours.
Further information	:	Fight fire with normal precautions from a reasonable distance. Keep away from fire, sparks and heated surfaces. Use water spray to cool unopened containers. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Special protective equipment for firefighters	:	Body covering protective clothing, full "turn-out" gear. Self-contained breathing apparatus (EN 133)

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency pro- cedures	:	Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid contact with skin and eyes. Wear suitable protective clothing, gloves and eye/face protection. Keep in properly labelled containers. Dispose of rinse water as waste water.
Environmental precautions	:	Toxic to aquatic life. Do not allow material to contaminate ground water system. Prevent product from entering drains. Avoid release to the environment.

Version	Revision Date:	MSDS Number:	Country: US
1.18	10/20/2015	400000004030	Language: EN
11101110	ds and materials for con-	binder, universal	ble container for disposal.
	nt and cleaning up	Shovel into suitab	Id be collected mechanically (remove by pumping)
11101110		binder, universal Shovel into suitab Large spills shoul for disposal.	binder, sawdust). ble container for disposal. ld be collected mechanically (remove b

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Handle and open container with care. Protect from contamination. Use only in well-ventilated areas. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid inhalation, ingestion and contact with skin and eyes. Wear suitable protective clothing, gloves and eye/face protection. Wash thoroughly after handling. Keep container closed when not in use. Allergic reactions may develop after inhalation of low concentrations, also several hours after exposure. Regular medical checks, including lung function, are recommended for long term and repeated use of isocyanates. 	
Conditions for safe storage	: Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

Components	CAS-No.
1H-IMIDAZOLE, 1-(1-((4-	68694-11-1
CHLORO-2-(TRIFLUO	

Personal protective equipment

Respiratory protection	 In case of insufficient ventilation, wear suitable respiratory equipment. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
Hand protection	
Remarks	: Chemical resistant protective gloves

Version 1.18	Revision Date: 10/20/2015	MSDS Number: 400000004030	Country: US Language: EN
Еуе р	rotection	: Safety glasses or Safety goggles	with side-shields
Skin a	and body protection	Discard contam	ash contaminated clothing before re-use. inated shoes. nst splashes from pouring: ic boots
Hygiene measures		tice. Wear suitable g Avoid contact w Do not inhale a Ensure adequa When using do Wash thorough Keep working c Remove and wa Contaminated w workplace. Allergic reaction trations, also se checks, includir	ance with good industrial hygiene and safety prac- loves and eye/face protection. <i>v</i> ith skin, eyes and clothing. erosol. te ventilation, especially in confined areas. not eat, drink or smoke. ly after handling. lothes separately. ash contaminated clothing before re-use. vork clothing should not be allowed out of the ms may develop after inhalation of low concen- everal hours after exposure. Regular medical ing lung function, are recommended for long ted use of isocyanates.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid, suspension
Colour	:	off-white, to, tan
Odour	:	mild
Odour Threshold	:	No data available
рН	:	6.5 - 8.5
Melting point/range	:	Not applicable
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available

PROCURE® 480SC

Version 1.18	Revision Date: 10/20/2015	MSDS Number: 400000004030	Country: US Language: EN	
	ve vapour density ve density	: No data availab : 1.161 - 1.162		
Kelati	ve density		formation available.	
	ility(ies) ter solubility	: No data availa	able	
Sol	ubility in other solvents	: No data availa	able	
	on coefficient: n- ol/water	: No data availa	able	
Auto-i	ignition temperature	: No data availab	ble	
Decon	nposition temperature	: No data availa	able	
Visco Vis	sity cosity, dynamic	: No data availa	able	
Vis	cosity, kinematic	: No data availa	able	
	accelerating decomposition rature (SADT)	a : Method: No in	formation available.	

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reac- tions	: Hazardous polymerisation does not occur.
Conditions to avoid	: None known.
Hazardous decomposition prod- ucts	: Burning produces noxious and toxic fumes.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of ex Skin Absorption Inhalation Ingestion	cposure
Acute toxicity	
Product: Acute oral toxicity	: Acute toxicity estimate: 3,384 mg/kg Method: Calculation method
Components: 1H-IMIDAZOLE, 1-(1-((4-CHLO Acute oral toxicity	RO-2-(TRIFLUO: : LD50 (Rat, male and female): 1,420 mg/kg

PROCURE® 480SC

Version	Revision Date: 10/20/2015	MSDS Number:	Country: US
1.18		400000004030	Language: EN

Acute dermal toxicity

: LD50 (Rabbit, male and female): > 5,000 mg/kg

Skin corrosion/irritation

Product:

Species: Rabbit Result: slight irritation

Components:

1H-IMIDAZOLE, 1-(1-((4-CHLORO-2-(TRIFLUO: Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Product:

Species: Rabbit Result: No eye irritation

Components:

1H-IMIDAZOLE, 1-(1-((4-CHLORO-2-(TRIFLUO: Species: Rabbit Result: Mild eye irritation

Respiratory or skin sensitisation

Product:

Species: Guinea pig Method: Buehler Test Result: Did not cause sensitisation on laboratory animals.

Components:

1H-IMIDAZOLE, 1-(1-((4-CHLORO-2-(TRIFLUO: Species: Guinea pig Assessment: May cause sensitisation by skin contact. Result: Causes sensitisation.

Germ cell mutagenicity

Product:

Germ cell mutagenicity - : negative Assessment

Components:

1H-IMIDAZOLE, 1-(1-((4-CHLORO-2-(TRIFLUO:

Genotoxicity	in	vitro

: Test Type: Ames test Metabolic activation: with and without metabolic activation Result: negative

rsion 8	Revision Date: 10/20/2015	MSDS Number:Country: US40000004030Language: EN	
		: Test Type: Unscheduled DNA synthesis (UDS) Result: negative	
		: Test Type: Chromosome aberration test in vitro Metabolic activation: with and without metabolic activation Result: negative	
Geno	toxicity in vivo	: Test Type: In vivo micronucleus test Species: Mouse Result: negative	
	cell mutagenicity - ssment	: Not mutagenic in Ames Test, negative	
Carci	nogenicity		
Com	<u>oonents:</u>		
	IIDAZOLE, 1-(1-((4-C nogenicity - Assess-	HLORO-2-(TRIFLUO: : Animal testing did not show any carcinogenic effects.	
IARC	;	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.	
OSH	A	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	
NTP		No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
Repro	oductive toxicity		
Com	oonents:		
1H-IN	IIDAZOLE, 1-(1-((4-C oductive toxicity - As-	 HLORO-2-(TRIFLUO: No effects on or via lactation, Experiments have shown reproducti toxicity effects on laboratory animals. Did not show teratogenic effects in animal experiments. 	
STOT	- repeated exposure	•	
<u>Co</u> mi	oonents:		
1H-IN Expos	IIDAZOLE, 1-(1-((4-C ure routes: Oral	HLORO-2-(TRIFLUO:	
	t Organs: Blood	ge to organs through prolonged or repeated exposure.	

PROCURE® 480SC

Version	Revision Date: 10/20/2015	MSDS Number:	Country: US
1.18		400000004030	Language: EN

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
<u>Components:</u> 1H-IMIDAZOLE, 1-(1-((4-CHLO Toxicity to fish	RO-2-(TRIFLUO: : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.58 mg/l Exposure time: 96 h Test Type: static test GLP: yes
	LC50 (Cyprinus carpio (Carp)): 0.76 mg/l Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 203 GLP: yes
	LC50 (Lepomis machrochirus (Bluegill)): 1.2 mg/l Exposure time: 96 h Test Type: static test GLP: yes
	LC50 (Cyprinodon variegatus (sheepshead minnow)): 1.4 mg/l Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes GLP: yes
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1.42 mg/l Exposure time: 48 h Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes
	LC50 (Mysid shrimp): 0.62 mg/l Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes GLP: yes
Toxicity to algae	: EC50 (Freshwater algae): > 4.7 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes
	EC50 (Scenedesmus capricornutum (fresh water algae)): 1.91 mg/l End point: Growth rate

ersion 18	Revision Date: 10/20/2015	MSDS Number: 400000004030	Country: US Language: EN
		Exposure time: Analytical moni Method: OECD GLP: yes	
Toxici icity)	ity to fish (Chronic tox-	: NOEC (Cyprinc mg/l Exposure time: Test Type: flow	
	ity to daphnia and other ic invertebrates (Chron- city)	: NOEC (Daphnia Exposure time: Test Type: flow Analytical monit GLP: yes	-through test
	stence and degradabili	ity	
Bioad	cumulative potential		
1H-IN Partiti	Donents: IIDAZOLE, 1-(1-((4-CHL on coefficient: n- ol/water	.ORO-2-(TRIFLUO: : log Pow: 1.4	
	l ity in soil Ita available		
Other	r adverse effects		
Produ	uct:		
Ozon	e-Depletion Potential	tection of Strate Substances Remarks: This pr a Class I or Class	CFR Protection of Environment; Part 82 Pro- ospheric Ozone - CAA Section 602 Class I roduct neither contains, nor was manufactured wit II ODS as defined by the U.S. Clean Air Act Sec 8 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Dispose of waste in accordance with environmental legislation. Pesticide wastes are toxic. Do not contaminate ponds, waterways or ditches with chemical or used container.

SECTION 14. TRANSPORT INFORMATION

International Regulation

rsion 18	Revision Date: 10/20/2015	MSDS Number: 400000004030	Country: US Language: EN
UNRT	DG		
UN nu	umber	: UN 3082	
Prope	r shipping name	: ENVIRONMEN N.O.S. (Triflumizole)	TALLY HAZARDOUS SUBSTANCE, LIQUID,
Class		: 9	
Packi	ng group	: 111	
Label	S	: 9	
IATA-	DGR		
UN/ID		: UN 3082	
Prope	r shipping name	: ENVIRONMEN N.O.S. (Triflumizole)	TALLY HAZARDOUS SUBSTANCE, LIQUID,
Class		: 9	
Packi	ng group	: 111	
Label	·	: Miscellaneous	
Packii aircra	ng instruction (cargo ft)	: 964	
Packi ger ai	ng instruction (passen- rcraft)	: 964	
IMDG	-Code		
UN nı		: UN 3082	
Prope	r shipping name	N.O.S.	TALLY HAZARDOUS SUBSTANCE, LIQUID,
Class		(Triflumizole) : 9	
	ng group	: 9 : III	
Label		: 9	
EmS		: F-A, S-F	
Marin	e pollutant	: yes	
Trans	port in bulk according	g to Annex II of MAF	RPOL 73/78 and the IBC Code
Not a	oplicable for product as	supplied.	
Natio	nal Regulations		
49 CF	R		
UN/ID	/NA number	: UN 3082	
Prope	r shipping name	N.O.S.	TALLY HAZARDOUS SUBSTANCES, LIQUII
		(Triflumizole)	
Class		: 9	
	ng group		
Label		: CLASS 9	
ERG		: 171	N
	e pollutant	: yes(Triflumizole	
Rema	IKS		y DOT and TDG if shipped or transported in than 450 liters by road and/or rail. Please

Version	Revision Date:	MSDS Number:	Country: US
1.18	10/20/2015	40000004030	Language: EN

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Component RQ (lbs)
butanone	78-93-3	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
ethylene oxide	75-21-8	10	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SSARA 311/312 Hazards	• • • •	cute Health Hazard hronic Health Hazard
SARA 302		o chemicals in this material are subject to the reporting require- ents of SARA Title III, Section 302.
SARA 313	kn	nis material does not contain any chemical components with nown CAS numbers that exceed the threshold (De Minimis) porting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

sodium hydroxide	1310-73-2	0.0065 %
methyloxirane	75-56-9	0.00 %
The following Hazardous Chemic	als are listed under	the U.S. CleanWater Act, Section 311, Table
117.3:		

sodium hydroxide	1310-73-2	0.0065 %
methyloxirane	75-56-9	0.00 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

WARNING! This product contains a chemical known to the State of California to cause cancer.

Version 1.18	Revision Date: 10/20/2015	MSDS Number: 400000004030	Country: US Language: EN
	1,4-dioxan	e	123-91-1
	ethylene o	xide	75-21-8
	methyloxir	ane	75-56-9
		WARNING: Th	is product contains a chemical known to the
		State of Califor	nia to cause birth defects or other reproductive
		harm.	
	ethylene o	xide	75-21-8
TSCA	list		
No. ou	hotopooo oro oubioot	to a Significant Now II	aa Dula

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA Hazard Information:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

The hazard information required on the pesticide label is reproduced below.

CAUTION

Harmful if swallowed.

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. DO NOT contaminate water when cleaning equipment or disposing of equipment washwater or rinsate. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.

Do not use or store near heat or open flame.


SECTION 16. OTHER INFORMATION

Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a

Version	Revision Date:	MSDS Number:	Country: US
1.18	10/20/2015	400000004030	Language: EN

test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods



The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

Further information

Version	Revision Date:	MSDS Number:	Country: US
1.18	10/20/2015	40000004030	Language: EN

Carechem24 International Worldwide Coverage

Emergency Phone Number

Europe:	All European Countries	+44 (0) 1235 239 670 (NCEC)
Asia Pacific:	East / South East Asia – Regional Number	+65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China	+86 532 8388 9090
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285 +82 (0)234 798 401
	Vietnam	+65 3158 1255
	India	+65 3158 1198 0800 100 7479
	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Emergency Phone Number	+65 3158 1200
Middle East / Africa:	Arabic speaking countries	+44 (0) 1235 239 671
	South Africa	+27 21 300 2732
	All other countries	+44 (0) 1235 239 670
America	United States of America and Canada	+1866 928 0789 +1 215 207 0061
Latin America:	Brazil	+55 11 3197 5891
	Mexico	+52 555 004 8763
	Chile	+56 225 829 336
	All other countries	+44 (0) 1235 239 670