



Preparation Date 10-May-2015

Revision date 28-Mar-2019

Revision Number: 4

# Safety Data Sheet

## 1. Identification of the Substance/Preparation and of the Company/Undertaking

### Identification of the product

Product Description TOPSIN® M WSB

### Other means of identification

Product code 12-377  
UN/ID no. UN3077  
Registration number(s) 8033-125-70506

### Recommended use of the chemical and restrictions on use

Recommended use Fungicides.  
Uses advised against Activities contrary to label recommendation

### Details of the Supplier of the Safety Data Sheet

#### Supplier Address

UPL NA Inc.  
630 Freedom Business Center  
Suite 402  
King of Prussia, PA 19406

### Emergency telephone number

Company Phone Number 1-800-438-6071  
Emergency telephone number Chemtrec: (800) 424-9300 (24hrs) or (703) 527-3887  
Medical: Rocky Mountain Poison Control Center  
(866) 673-6671 (24hrs)

## 2. Hazards Identification

### Classification

#### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Dermal	Category 4
Skin sensitization	Category 1
Germ cell mutagenicity	Category 2

### Label elements

#### EMERGENCY OVERVIEW

#### WARNING

#### Hazard Statements

Harmful in contact with skin  
May cause an allergic skin reaction  
Suspected of causing genetic defects  
Harmful if inhaled



**Appearance** light brown**Physical state** powder**Odor** Slight Rotten egg-like**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Wear cold insulating gloves/face shield/eye protection  
 Do not breathe dust/fume/gas/mist/vapors/spray  
 Use only outdoors or in a well-ventilated area  
 In case of inadequate ventilation wear respiratory protection  
 Contaminated work clothing should not be allowed out of the workplace  
 Wear protective gloves

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention  
 IF ON SKIN: Wash with plenty of soap and water  
 Call a POISON CENTER or doctor if you feel unwell  
 Wash contaminated clothing before reuse  
 If skin irritation or rash occurs: Get medical advice/attention  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Immediately call a POISON CENTER or doctor/physician

**Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards Not Otherwise Classified (HNOC)****OTHER INFORMATION**

- MAY BE HARMFUL IF SWALLOWED
- Very toxic to aquatic life
- Very toxic to aquatic life with long lasting effects

### 3. Composition/information on Ingredients

Chemical name	CAS No	Weight-%
Thiophanate-methyl	23564-05-8	72
Silicon dioxide	112926-00-8	1-20
Diatomaceous earth	7631-86-9	5-40

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

### 4. First aid measures

**FIRST AID MEASURES**

<b>Eye contact</b>	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>Skin contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Call a poison control center or doctor for treatment advice.
<b>Inhalation</b>	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting without

medical advice. Clean mouth with water and drink afterwards plenty of water afterwards.  
Call a physician.

**Most Important Symptoms and Effects, Both Acute and Delayed**

**Most Important Symptoms and Effects** no data available.

**Indication of Any Immediate Medical Attention and Special Treatment Needed**

**Notes to physician** Treat symptomatically.

**5. Fire-fighting measures****Suitable extinguishing media**

Use: Dry chemical. Carbon dioxide (CO<sub>2</sub>). Water spray. alcohol-resistant foam.

**Unsuitable extinguishing media** no data available.

**Specific hazards arising from the chemical**

No information available.

**Hazardous combustion products** No information available.

**Explosion data****Protective equipment and precautions for firefighters**

Use personal protective equipment. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. Accidental release measures****Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Avoid contact with skin and eyes. Wear protective gloves/protective clothing and eye/face protection. Wash thoroughly after handling.

**Environmental Precautions**

**Environmental precautions** Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

**Methods and material for containment and cleaning up**

**Methods for Clean-Up** Sweep up and shovel into suitable containers for disposal.

**7. Handling and Storage****Precautions for safe handling**

**Handling** Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Keep out of reach of children.

**Conditions for safe storage, including any incompatibilities**

**Storage** Keep containers tightly closed in a cool, well-ventilated place.

**incompatible materials** Strong oxidizing agents.

**8. Exposure Controls/Personal Protection**

**Exposure guidelines**

Chemical name	ACGIH TLV	OSHA PEL
Silicon dioxide		(vacated) TWA: 6 mg/m <sup>3</sup> TWA: 20 mppcf : (80)/(%) SiO <sub>2</sub> mg/m <sup>3</sup> TWA
Diatomaceous earth		(vacated) TWA: 6 mg/m <sup>3</sup> <1% Crystalline silica TWA: 20 mppcf : (80)/(%) SiO <sub>2</sub> mg/m <sup>3</sup> TWA

**Engineering controls** Investigate engineering techniques to reduce exposures. Local mechanical exhaust ventilation is preferred. Consult ACGIH ventilation manual or NFPA Standard 91 for design of exhaust systems.

**Personal protective equipment****Eye/Face Protection**

Use eye protection to avoid eye contact. Where there is potential for eye contact have eye flushing equipment available. Safety glasses with side-shields.

**Skin protection**

Wear protective gloves/clothing. Socks and footwear.

**Respiratory protection**

Where airborne exposure is likely, use NIOSH approved respiratory protection equipment appropriate to the material and/or its components. Full facepiece equipment is recommended and, if used, replaces need for face shield and/or chemical goggles. If exposures cannot be kept at a minimum with engineering controls, consult respirator manufacturer to determine appropriate type equipment for given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure, use an approved full face positive-pressure, self-contained breathing apparatus. Respiratory protection programs must comply with 29 CFR 1910.134.

**General hygiene considerations**

Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product.

## 9. Physical and Chemical Properties

**Information on basic physical and chemical properties**

<b>Physical state</b>	powder	<b>Odor</b>	Slight Rotten egg-like
<b>Appearance</b>	light brown		
<b>color</b>	No information available		

<u>Property</u>	<u>VALUES</u>	<u>Remarks/ • Method</u>
pH	No information available	
Melting point/freezing point	172 °C / 342 °F	
Boiling Point/Range	No information available	
Flash Point	No information available	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability limit in air		
Upper Flammability Limit	No information available	
Lower Flammability Limit	No information available	
vapor pressure	7.12 X 10 <sup>-8</sup> mmHg(tech)	
Vapor Density	No information available	
Specific gravity	No information available	
Water solubility	No information available	
Solubility in Other Solvents	No information available	
Partition coefficient: n-octanol/water	No information available	
Autoignition temperature	no data available	
Decomposition temperature	No information available	
Viscosity, kinematic	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	

**OTHER INFORMATION**

Softening point	No information available
molecular weight	No information available
VOC Content	No information available
Liquid Density	No information available

## 10. Stability and Reactivity

### Reactivity

no data available

### Chemical stability

Stable under normal conditions. Hazardous polymerisation does not occur.

### Possibility of hazardous reactions

None under normal processing.

### Conditions to avoid

No information available.

### Incompatible materials

Strong oxidizing agents.

### Hazardous decomposition products

no data available.

## 11. Toxicological Information

### Information on Likely Routes of Exposure

#### Product information

Single exposure studies indicate:

Oral: Practically non-toxic to rats (LD50 >5,000 mg/kg)

Dermal: No more than slightly toxic to rabbits (LD50 >2,000 mg/kg)

Inhalation: Slightly toxic to rats (4 hr LC50 1.8 mg/l)

Skin Irritation: Non-irritating to rabbits

Eye Irritation: Non-irritating to rabbits

Skin allergy was observed in guinea pigs following repeated exposure. Repeated or long-term oral administration produced effects on the thyroid, liver or kidneys in rats, mice and dogs. An increased incidence of liver tumors was observed in mice and thyroid tumors were observed in male rats following long-term oral exposure.

No effects were seen on the ability of male or female rats to reproduce when exposed orally for 2 successive generations. No birth defects were observed in the offspring of rats exposed orally during pregnancy. In rabbits, developmental effects were noted only at maternally toxic doses. No genetic changes were observed in tests using animal cells.

#### Inhalation

MAY BE FATAL IF INHALED.

#### Eye contact

Moderately irritating to the eyes.

#### Skin contact

May be harmful if absorbed through the skin.

#### Ingestion

MAY BE HARMFUL IF SWALLOWED.

### Information on Toxicological Effects

#### Symptoms

No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Sensitization

No information available.

**Mutagenic effects**

no data available.

**Carcinogenicity**

The information below indicates whether any agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Silicon dioxide 112926-00-8	-	Group 3		-
Diatomaceous earth 7631-86-9	-	Group 3		-

**Reproductive effects**

Not Available.

**STOT - Single Exposure**

no data available.

**STOT - Repeated Exposure**

no data available.

**Chronic toxicity**

Avoid repeated exposure.

**Target organ effects**

Respiratory System, EYES.

**Aspiration hazard**

No information available.

**Numerical Measures of Toxicity - Product information****LD50 Oral** > 5000 mg/kg (rat)**LD50 Dermal** > 2000 mg/kg (rat)**LC50 Inhalation** 7.2 mg/l (1 hr)**12. Ecological Information****ecotoxicity**

Thiophanate methyl

Carp 96 hr LC50 = &gt;100 mg/L

Fiddler crab 96 hr LC50 = &gt;560 mg/L

Bluegill 96 hr LC50 = 15.8 mg/L

Daphnid 48 hr EC50 = 15.6 mg/L

Shrimp 96 hr LC50 = 25.1 mg/L

Trout 96 hr LC50 = 2.2 mg/L

Oyster 96 hr LC50 = 4.6 ppm

Highly toxic to catfish

**Persistence/Degradability**

no data available.

**Bioaccumulation/ Accumulation**

No information available.

**Other Adverse Effects**

no data available

**13. Disposal Considerations****Waste Treatment Methods****Waste Disposal Method**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If the wastes cannot be disposed of by use or according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Contaminated packaging**

Refer to product label.

**14. Transport Information**

**DOT**

UN/ID no.	UN3077
Proper shipping name	Environmentally hazardous substances, solid, n.o.s (Thiophanate methyl)
Hazard class	9
Packing group	PG III
Reportable Quantity (RQ):	10 lbs (Thiophanate methyl)

**ICAO**

UN/ID no.	UN3077
Proper shipping name	Environmentally hazardous substance, solid, n.o.s (Thiophanate methyl)
Hazard class	9
Packing group	PG III

**IATA**

UN/ID no.	UN3077
Proper shipping name	Environmentally hazardous substances, solid, n.o.s (Thiophanate methyl)
Hazard class	9
Packing group	PG III

**IMDG**

UN/ID no.	3077
Proper shipping name	Environmentally hazardous substances, solid, n.o.s (Thiophanate-methyl)
Hazard class	9
Packing group	PG III

**15. Regulatory Information**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**signal word** CAUTION

**Ventilation Control** PESTICIDE APPLICATORS & WORKERS THESE WORKERS MUST REFER TO PRODUCT LABELING AND DIRECTIONS FOR USE IN ACCORDANCE WITH EPA WORKER PROTECTION STANDARD 40 CFR PART 170.

**Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Prolonged or frequent repeated skin contact may cause allergic reaction in some individuals.**

**International Inventories**

USINV	Present
DSL/NDL	Present
EINECS/	Not Present
ELINCS	
ENCS	Not Present
China	Present
KECL	Present
PICCS	Present
AICS	Present
TSCA	Not Present

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances  
 KECL - Korean Existing and Evaluated Chemical Substances  
 PICCS - Philippines Inventory of Chemicals and Chemical Substances  
 AICS - Australian Inventory of Chemical Substances

### Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

#### **CERCLA**

Not applicable

Chemical name	RQ	CERCLA EHS RQs	RQ
Thiophanate-methyl 23564-05-8	10 lb		RQ 10 lb final RQ RQ 4.54 kg final RQ

#### **CERCLA**

Component	RQ
Thiophanate-methyl 23564-05-8 ( 72 )	10 lb

**SARA Product RQ** 0

#### **RCRA**

Component	RCRA - D Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Thiophanate-methyl 23564-05-8 ( 72 )			U409

### Pesticide Information

#### State Regulations

California Proposition 65  
**Prop 65 Pictogram**

This product contains the following Proposition 65 chemicals:



**Prop 65 Warning Statement**

WARNING!

Component	Non-additive, corrosive chemical type
Thiophanate-methyl 23564-05-8 ( 72 )	Female Reproductive Male Reproductive

#### **State Right-to-Know**

Chemical name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Thiophanate-methyl - 23564-05-8		X			
Silicon dioxide - 112926-00-8	X	X	X		
Diatomaceous earth - 7631-86-9	X	X	X		

#### **International regulations**

#### **U.S. EPA Label information**

EPA Pesticide registration number 8033-125-70506

### **16. Other Information**

#### **NFPA**

HEALTH 1

flammability 0

Instability 0

Physical hazard -

Preparation Date

10-May-2015

Revision date

28-Mar-2019



**Revision Summary**

Update section 2 Update section 11

**Disclaimer**

UPL NA Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with other materials or in any process. Further, since the conditions and methods of use are beyond the control of UPL NA Inc. and UPL NA Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

**End of SDS**