

PROSARO® 421 SC FUNGICIDE

Version 2.0 / USA Revision Date: 09/04/2019
102000033570 Print Date: 09/05/2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name PROSARO® 421 SC FUNGICIDE

Product code (UVP) 85400797

SDS Number 102000033570

EPA Registration No. 264-862

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer CropScience

2 T.W. Alexander Drive

Research Triangle PK, NC 27709

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Reproductive toxicity: Category 2 Acute toxicity(Inhalation): Category 4

Labelling in accordance with regulation HCS 29CFR §1910.1200





Signal word: Warning

Hazard statements

Suspected of damaging fertility or the unborn child.

Harmful if inhaled.

Precautionary statements

Obtain special instructions before use.



PROSARO® 421 SC FUNGICIDE

Version 2.0 / USA Revision Date: 09/04/2019
102000033570 Print Date: 09/05/2019

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Avoid breathing mist/ vapours.

Use only outdoors or in a well-ventilated area.

IF exposed or concerned: Get medical advice/ attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

Store locked up.

Protect from sunlight.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CAS-No.	Concentration % by weight
178928-70-6	19.0
107534-96-3	19.0
577-11-7	1.75
	178928-70-6 107534-96-3

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. DO NOT induce

vomiting unless directed to do so by a physician or poison control center. Rinse out mouth and give water in small sips to drink. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.



PROSARO® 421 SC FUNGICIDE

Version 2.0 / USA Revision Date: 09/04/2019 102000033570 Print Date: 09/05/2019

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water, Foam, Carbon dioxide (CO2), Dry chemical

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCI), Hydrogen cyanide (hydrocyanic acid), Sulphur oxides, Carbon

monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

Advice for firefighters

Special protective equipment for firefighters Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point > 100 °C

Not relevant; aqueous solution

Auto-ignition temperature No data available Lower explosion limit No data available

Upper explosion limit No data available

Explosivity Not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.



PROSARO® 421 SC FUNGICIDE

Version 2.0 / USA Revision Date: 09/04/2019 102000033570 Print Date: 09/05/2019

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after

handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and

feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing. Keep away

from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	1.4 mg/m3 (SK-ABS)		OES BCS*
Tebuconazole	107534-96-3	0.2 mg/m3 (SK-ABS)		OES BCS*

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.



PROSARO® 421 SC FUNGICIDE

Version 2.0 / USA Revision Date: 09/04/2019
102000033570 Print Date: 09/05/2019

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance white to beige

Physical State Liquid

Odor characteristic

Odour Threshold No data available

pH 5.5 - 7.0 (100 %) (23 °C)

Vapor Pressure No data available
Vapor Density (Air = 1) No data available

Density ca. 1.14 g/cm³ (20 °C)

Evaporation rateNo data availableBoiling PointNo data availableMelting / Freezing PointNo data available

Water solubility soluble

Minimum Ignition EnergyNot applicableDecompositionNot applicable

temperature

Partition coefficient: n-

octanol/water

No data available

Viscosity 250 - 550 mPa.s (20 °C) Velocity gradient 20 /s

Flash point > 100 °C

Not relevant; aqueous solution

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot applicable

Other information Further safety related physical-chemical data are not known.



PROSARO® 421 SC FUNGICIDE

Version 2.0 / USA Revision Date: 09/04/2019
102000033570 Print Date: 09/05/2019

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition Not applicable

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Extremes of temperature and direct sunlight.

freezing

Incompatible materials No data available

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Ingestion, Inhalation, Eye contact, Skin Absorption

Immediate Effects

Eye Moderate eye irritation.

Skin May cause slight irritation. Harmful if absorbed through skin.

IngestionHarmful if swallowed.InhalationHarmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,000 mg/kg
Acute inhalation toxicity LC50 (Rat) > 2.18 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

highest concentration tested

No deaths

Acute dermal toxicity LD50 (Rat) > 5,050 mg/kg

Skin corrosion/irritation No skin irritation (Rabbit)

Serious eye damage/eye Minimally irritating. (Rabbit)

irritation

iiiiatioii

Respiratory or skin sensitisation

Skin: Non-sensitizing. (Guinea pig)

Assessment STOT Specific target organ toxicity - repeated exposure

Prothioconazole did not cause specific target organ toxicity in experimental animal studies. Tebuconazole did not cause specific target organ toxicity in experimental animal studies.



PROSARO® 421 SC FUNGICIDE

Version 2.0 / USA 102000033570

Revision Date: 09/04/2019 Print Date: 09/05/2019

Assessment mutagenicity

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.

|--|

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.

Assessment developmental toxicity

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 1.83 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient prothioconazole.

LC50 (Oncorhynchus mykiss (rainbow trout)) 4.4 mg/l



PROSARO® 421 SC FUNGICIDE

Version 2.0 / USA Revision Date: 09/04/2019
102000033570 Print Date: 09/05/2019

Exposure time: 96 h

The value mentioned relates to the active ingredient tebuconazole.

LC50 (Lepomis macrochirus (Bluegill sunfish)) 5.7 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient tebuconazole.

Toxicity to aquatic invertebrates

LC50 (Daphnia magna (Water flea)) 1.3 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient prothioconazole.

LC50 (Daphnia magna (Water flea)) 4.2 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient tebuconazole.

Toxicity to aquatic plants

EC50 (Raphidocelis subcapitata (freshwater green alga)) 3.8 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient tebuconazole.

ErC50 (Skeletonema costatum) 0.03278 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

EC10 (Skeletonema costatum) 0.01427 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

Biodegradability Prothioconazole:

Not rapidly biodegradable

Tebuconazole:

Not rapidly biodegradable

Koc Prothioconazole: Koc: 1765

Tebuconazole: Koc: 769

Bioaccumulation Prothioconazole: Bioconcentration factor (BCF) 19

Does not bioaccumulate.

Tebuconazole: Bioconcentration factor (BCF) 35 - 59

Does not bioaccumulate.

Mobility in soil Prothioconazole: Slightly mobile in soils

Tebuconazole: Slightly mobile in soils

Additional ecological

information

No other effects to be mentioned.

Environmental precautions

Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Apply this product as specified on the label.



PROSARO® 421 SC FUNGICIDE

Version 2.0 / USA Revision Date: 09/04/2019
102000033570 Print Date: 09/05/2019

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Pesticide, spray mixture or rinse water that cannot be used according to

label instructions may be disposed of on site or at an approved waste

disposal facility.

Contaminated packaging Triple rinse containers.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TEBUCONAZOLE, PROTHIOCONAZOLE SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TEBUCONAZOLE, PROTHIOCONAZOLE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

POISON



PROSARO® 421 SC FUNGICIDE

Version 2.0 / USA Revision Date: 09/04/2019
102000033570 Print Date: 09/05/2019

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-862

US Federal Regulations

TSCA list

Water 7732-18-5
Glycerine 56-81-5
Docusate sodium 577-11-7
Polyethylene-polypropylene copolymer 9003-11-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

Not applicable.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Magnesium nitrate 10377-60-3 10000lbs

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Glycerine	56-81-5	MN, RI
1,2-Propanediol	57-55-6	MN, RI
Glycerine	56-81-5	MN, RI
Magnesium nitrate	10377-60-3	CT, NJ, RI

Sodium hydroxide 1310-73-2 CA, CT, IL, MN, NJ, RI

Glutaral 111-30-8 CA, MN, RI

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.

Moderate eye irritation.

Avoid contact with skin, eyes and clothing.

Avoid inhalation of vapour or mist.

Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before re-use.



PROSARO® 421 SC FUNGICIDE

Version 2.0 / USA Revision Date: 09/04/2019
102000033570 Print Date: 09/05/2019

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 7: Handling and Storage. Section 10. Stability and reactivity. Reviewed and updated for general editorial purposes.

Revision Date: 09/04/2019

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.