

# Supplemental Labeling

---



EPA Reg. No.: 279-3158

This supplemental label expires 12/10/2021 and must not be used or distributed after this date.

## DIRECTIONS FOR USE

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL ARE TO BE FOLLOWED.**

**This Supplemental labeling must be in the possession of the user at the time of pesticide application. Read the label affixed to the container for Command® 3ME Microencapsulated Herbicide before applying. Use of this product according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for Command 3 ME Microencapsulated Herbicide**

## CUCUMBERS

For the control or suppression of annual grasses and broadleaf weeds in cucumber, apply broadcast at 6.4 to 16.2 fluid ounces (0.15 – 0.38 lb. ai/A) per acre in a minimum spray volume of 10 gallons of water per treated acre. For a list of weeds controlled, refer to the Weeds Controlled table in the Vegetable Crops section on the full product label. Use the lower specified rate on coarse soils and the higher specified rate on fine soils. Refer to the soil texture chart found on the full product label.

**For direct seeded cucumber:** Make one broadcast application after seeding but prior to cucumber emergence.

**For transplanted cucumber:** Make one broadcast application before transplanting and ensure to place the roots of the transplant below the chemical barrier when planting.

**NOTE:** Prior to use, refer to the full product label for the Directions section for vegetable crops.

### RESTRICTIONS

Do not apply more than 16.2 fluid ounces per acre Command 3ME Microencapsulated Herbicide (0.38 lb. ai/A) per application.

Do not apply more than 16.2 fluid ounces per acre Command 3ME Microencapsulated Herbicide (0.38 lb. ai/A) per year.

Do not make more than one application to cucumber per year.

Do not apply within 30 days of harvest of cucumbers.

## CORIANDER (LEAF) and DILLWEED

Before applying Command 3ME Microencapsulated Herbicide on crops in coriander/cilantro (leaf); and dillweed, users, growers and/or applicators must review the VEGETABLE DIRECTIONS found in the TERMS OF SALE OR USE section on the full product label.

Command 3ME Microencapsulated Herbicide may be applied as a soil applied broadcast treatment after seeding and prior to crop and weed emergence for control or suppression of annual grass and broadleaf weeds in crops in coriander/cilantro (leaf) and dillweed. For a list of weeds controlled or suppressed, refer to the Weeds Controlled table in the Vegetable Crops section on the full product label.

Apply 10.7 fluid ounces of Command 3ME Microencapsulated Herbicide (0.25 lb. ai clomazone) in a minimum spray volume of 10 gallons of water per treated acre. Make application at least 50 days prior to harvest.

**NOTE:** Prior to use, refer to the Directions sections for vegetable crops of the full product label.

### RESTRICTIONS

Do not apply more than 10.7 fluid ounces Command 3ME Microencapsulated Herbicide (0.25 lb. ai clomazone) per acre per application.

Do not make more than one application to crops in coriander/cilantro (leaf) and dillweed per year.

Do not apply more than 10.7 fluid ounces Command 3ME Microencapsulated Herbicide (0.25 lb. ai clomazone) per acre per year.

Do not apply within 50 days of harvest.

R-4124A 053119 01-31-19



FMC Corporation  
2929 Walnut Street  
Philadelphia, PA 19104

FMC and Command are trademarks of FMC Corporation  
© 2019 FMC Corporation. All rights reserved.