

Safety Data Sheet

Max-In[®] Ultra ZMB

NFPA HAZARD RATING U.S. TRANSPORT SUMMARY 0 Least 2 Health 1 Slight See Section 14 for 2 Moderate 0 Flammability full information. CORROSIVE 3 High 1 Reactivity 4 Severe

SECTION 1: IDENTIFICATION			
Product Name:	Max-In® Ultra ZMB or Max-In® Ultra ZMB Micronutrient Mix		
EPA Registration #:	Exempt		
Product ID/Unity #:	10126413, 10126415, 10126418, 10136226, 10136887, 10136888, 1421429		
Common Name:	Micronutrient fertilizer		
Chemical Description:	Liquid fertilizer		
Recommended Uses:	Fertilizer product – See product label for full directions for use		
Restrictions for Use:	See product label for any potential restrictions on use.		
Manufactured For:		MEDICAL EMERGENCY TELEPHONE NUMBER: 1-877-424-7452 (24hrs)	
WINFIELD SOLUTIONS, LLC			
P. O. Box 64589		Non-Emergency Business Inquiries: 1-855-494-6343	
St. Paul, MN 55164-0589		Mon – Fri 8am – 5pm (Central Standard Time)	
FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL:			

OR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL: CHEMTREC 1-800-424-9300 (24 hours)

SECTION 2: HA	ZARDS IDENTIFICATI	ON		
EMERGENCY OVERVIEW: Clear pink to tea brown liqu	iid with slight organic odor. Cause	es serious eye and skin damage.		
	Harmful if swallowed.			
POTENTIAL HEALTH EFFECTS:				
Eyes: Causes serious eye irritation with the potential for				
Skin: Causes serious skin irritation with the potential for				
	Inhalation: Inhalation of mist may cause irritation of the upper respiratory tract.			
Ingestion: Harmful if swallowed. May cause burning of		and to add to		
Preexisting Conditions: Preexisting respiratory conditions may be aggravated by exposure to mists.				
Chronic Health Effects: Boric acid is a known reproductive toxicant. Prolonged or repeated oral exposure may have a negative impact on fertility and the reproductive system. Prolonged or repeated inhalation of product may have an impact on the central				
nervous system and/or lungs.	ed of repeated initialation of produ	ici may nave an impact on the central		
	IARC: Not listed	OSHA: Not listed		
earenegementj				
	OSHA HCS 2012 CLASSIFICATION: Skin Corrosion/Irritation Category 1C; Eye Damage/Irritation Category 1; Toxic to			
	Reproduction Category 2; Specific Target Organ Toxicant – Repeated Exposure Category 2			
SIGNAL WORD: DANGER				
HAZARD STATEMENTS:				
Causes severe skin burns and eye damage.				
Suspected of damaging fertility or the unborn child if ingested.				
May cause damage to central nervous system and/or lungs through				
prolonged or repeated inhalation.				
Percent of product with unknown toxicity: 0.07%		• •		

Continued on next page

PRECAUTIONARY STATEMENTS:

Prevention:	Do not breathe mist. Wash hands thoroughly after use. Wear protective gloves, protective clothing, eye
	protection, and face protection. See Section 8 for additional information. Read product label before use. Do not
	handle until all safety precautions have been read and understood.
Response:	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all
	contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep
	comfortable for breathing. Immediately call a poison control center (1-877-424-7452) or doctor for treatment
	advice. If in eyes: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to
	do. Continue rinsing. Immediately call a poison control center (1-877-424-7452) or doctor for treatment advice.
Storage:	Store in a secured, preferably locked, area.
Disposal	Dispose of contents/container in accordance with Federal, state and local regulations.

Ingredient	% (wt)	CAS Reg. #
Zinc sulfate	11.3%	7446-19-7
Organic acid	7.0 – 11.0%	77-92-9
Manganese sulfate	9.4%	10034-96-5
Boric acid	<0.6%	10043-35-3

See Section 8 for exposure limits.

SECTION 4: FIRST AID MEASURES Inhalation: Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention if irritation occurs. Ingestion: Seek medical attention or call a poison control center immediately for treatment advice. Do not induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Eyes: Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. Seek medical attention immediately. Skin: Remove contaminated clothing and wash before re-using. Flush skin with water and then wash with soap

and water. Seek medical attention immediately.

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water spray or fog, foam, carbon dioxide, or dry chemical

Unsuitable Extinguishing Media: Water jet; Use water jet only to cool containers.

Special Fire Fighting Procedures: Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later. Avoid breathing vapors; keep upwind.

Hazardous Combustion Products: Carbon oxides, Sulfur oxides, and Nitrogen oxides; Toxic manganese, boron and zinc compounds may also be present upon decomposition.

Unusual Fire and Explosion Hazards: Closed containers may explode from vapor expansion in high heat. Contain run-off by diking to prevent contamination of water supplies.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

Environmental Precautions: Do not allow spilled product to enter sewers or waterways.

Methods for Containment: Contain spilled product by diking area with sand or earth.

Methods for Clean-up: Cover contained spill with an inert absorbent material such as sand, vermiculite or other appropriate material. Vacuum, scoop, or sweep up material and place in a container for disposal. Do not place spilled material back in original container.

Continued on next page

Other Information: Spills of this product may require reporting under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) as the product contains zinc sulfate with a reportable quantity (RQ) of 1,000 lbs. See Section 15 for additional information.

SECTION 7: HANDLING AND STORAGE

Handling: Ensure adequate ventilation during handling and use. Immediately clean up spills that occur during handling. Keep containers closed when not in use. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Storage: Store in cool, dry areas away from children, food and feed products in an area away from incompatible substances. Ensure that storage area is secured. Protect packaging from physical damage. Protect from exposure to fire. Maintain product above minimum storage temperature. Do not store in aluminum or metal vessels.

Minimum Storage Temperature: 40°F

Other Precautions: Consult Federal, state and local laws and regulations pertaining to storage.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines			
Component:	OSHA PEL	ACGIH TLV	NIOSH REL
Boric acid (CAS #10043-35-3)		2 mg/m3 (TWA); 6 mg/m3 (STEL)	
Manganese inorganic compounds	5 mg/m3 (CEIL)	0.2 mg/m3 TWA	1 mg/m3 TWA 3 mg/m3 ST
Respiratory Protection: For most well-ventilated conditions, no respiratory protection should be needed. If airborne concentrations exceed exposure limits, use a NIOSH approved air-purifying respirator with cartridges/canisters approved for general particulates.			
Engineering Controls: Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is preferred.			
Protective Gloves: This product can cause serious skin damage. Wear chemically protective gloves to prevent exposure to skin.			
Eye Protection: To avoid contact with eyes, w lenses are not protective eye devices. An emer Other Protective Clothing or Equipment: We prevent skin contact.	gency eyewash or water su	pply should be readily acces	ssible to the work area.

Work/Hygienic Practices: Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES			
Physical State:	Liquid	Specific Gravity (H ₂ O=1):	1.29 (typical)
Vapor Pressure (mm Hg):	Not determined	Density (lbs/gallon):	10.7 – 10.8 lbs/gallon
Vapor Density (Air=1):	Not determined	Melting Point/Freezing Point:	Not determined
Solubility in Water (wt %):	100%	Boiling Point/Range:	Not determined
Viscosity:	Not determined	pH:	<2.0
Appearance and odor:	Clear pink to tea brown with slight organic odor; color darkens over time from pink to brown	Flash Point:	Does not flash

SECTION 10: STABILITY AND REACTIVITY

Reactivity: None known

Chemical Stability: Product is stable at ambient temperature and pressure, under normal storage and handling conditions. Possibility of Hazardous Reactions: None known Conditions to Avoid: Excessive heat

Incompatible Materials: Avoid mixing with calcium solutions, strong reducing agents and finely powdered metals. **Hazardous Decomposition Products:** During prolonged exposure to high heat or fire conditions Carbon oxides, Sulfur oxides, and Nitrogen oxides may form; Toxic manganese, boron and zinc compounds may also be present upon decomposition.

SECTION 11: TOXICOLOGICAL INFORMATION			
ACUTE TOXICITY			
Eye Effects:	May cause serious and irreversible eye damage if exposed for more than a few minutes.		
Skin Effects:	May cause serious and irreversible skin damage if exposed for more than a few minutes.		
Acute Inhalation Effects:	May be harmful if inhaled.		
Acute Oral Effects:	Estimated LD50 >8,000 mg/kg; May cause burning of the esophagus due to low pH of concentrate.		
Specific Target Organ Toxicity:	Prolonged or repeated inhalation of product may have an impact on the central nervous system and/or lungs.		
CHRONIC TOXICITY			
Chronic Effects:	Prolonged or repeated inhalation of product may have an impact on the central nervous system and/or lungs.		
Carcinogenicity:	No component is anticipated to have carcinogenic effects.		
Mutagenicity:	No component is anticipated to have mutagenic effects.		
Teratogenicity:	No component is anticipated to have teratogenic effects.		
Reproductive Toxicity:	Boric acid is a known reproductive toxicant. Prolonged or repeated oral exposure may have a		
	negative impact on fertility and the reproductive system.		
POTENTIAL HEALTH EFFECTS:			
	Eyes: Causes serious eye irritation with the potential for irreversible damage.		
Skin: Causes serious skin irritation with the potential for irreversible damage.			
Inhalation: Inhalation of mist may cause irritation of the upper respiratory tract.			

Ingestion: Harmful if swallowed. May cause burning of the esophagus.

SECTION 12: ECOLOGICAL INFORMATION		
ENVIRONMENTAL SUMMARY: Not determined		
ECOTOXICITY DATA:		
Fish Acute and Prolonged Toxicity:	Not determined	
Aquatic Invertebrate Acute Toxicity:	Not determined	
Aquatic Plant Toxicity:	Not determined	
Bird Acute and Prolonged Toxicity:	Not determined	
Honeybee Toxicity:	Not determined	
ENVIRONMENTAL EFFECTS:		
Soil Absorption/Mobility:	Not determined	
Persistence and degradability:	Not determined	
Bioaccumulative Potential:	Not determined	
Other adverse effects:	Not determined	

SECTION 13: DISPOSAL CONSIDERATIONS

Waste: Dispose of in accordance with applicable Federal, state and local laws and regulations. Container: Triple rinse and recycle the container or dispose of in accordance with Federal, state and local laws and regulations. RCRA Characteristics: It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste. If disposed of as purchased, waste code D002 applies.

SECTION 14: TRANSPORT INFORMATION			
DOT: (Ground)	UN3265, Corrosive liquid, acidic, organic, n.o.s. (carboxylic acid), 8, PG III		
IMDG: (Sea)	UN3265, Corrosive liquid, acidic, organic, n.o.s. (carboxylic acid), 8, PG III		
IATA: (Air)	UN3265, Corrosive liquid, acidic, organic, n.o.s. (carboxylic acid), 8, PG III		
TDG: (Canada)	UN3265, Corrosive liquid, acidic, organic, n.o.s. (carboxylic acid), 8, PG III		

SECTION 15: REGULATORY INFORMATION				
TSCA Inventory: All components are listed on the	e TSCA inventory.			
SARA Title III Information:				
Section 302 - Extremely hazardous substar				
	Section 311/312 – Hazard Categories: Immediate (Acute), Delayed (Chronic)			
Section 313 – The following chemicals are	Section 313 - The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund			
Amendments and Reauthorization Act of 1986	and 40 CFR 372:			
Manganese compounds 9.4%; Zinc compound	Manganese compounds 9.4%; Zinc compounds 11.30%			
CERCLA - This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive				
Environmental Response, Compensation, and Lial	, , , , , , , , , , , , , , , , , , ,			
Zinc sulfate RQ =1,000 lbs (obtained in 820 ga	allons of product)			
California Proposition 65: This product does not contain any chemicals known to the state of California to cause cancer and/or reproductive harm.				
U.S. State Worker and Community Right-To-Kn	U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI):			
Chemical Name	CAS #	State(s)		
Manganese sulfate (Manganese compounds)	10034-96-5	MN, NJ, PA		
Zinc sulfate (Zinc compounds)	7446-19-7	MA, NJ, PA		
Canadian Domestic Substances List: All components are listed on the DSL.				
WHMIS Classification: D2A (very toxic), E (corrosive material)				

SECTION 16: OTHER

Disclaimer: The information presented herein is based on available data from reliable sources and is correct to the best of WinField Solutions' knowledge. WinField Solutions, LLC makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: September 18, 2018 Sections Revised: All Supersedes document dated: July 12, 2013