

Supplemental Label



For weed control in chickpea

This supplemental label expires May 31, 2022, and must not be used or distributed after this date.

Active Ingredient:

pyroxasulfone: 3-[[[5-(difluoromethoxy)-1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-yl]methyl]sulfonyl]-4,5-dihydro-5,5-dimethylisoxazole	85.0%
Other Ingredients:	15.0%
Total:	100.0%

Contains 0.85 pound of pyroxasulfone per pound formulated as a water-dispersible granule (WG)

EPA Reg. No. 7969-338

CAUTION/PRECAUCION

Directions For Use

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- The supplemental labeling and the entire **Zidua® herbicide** container label, EPA Reg. No. 7969-338, must be in possession of the user at the time of application.
- Read the label affixed to the container for **Zidua** before applying.
- Use of **Zidua** according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for **Zidua**.

Product Information

Zidua is a selective rate-dependent residual preemergence herbicide for controlling annual grasses, sedges, and annual broadleaf weeds. Refer to the **Zidua** container label for a complete list of weeds controlled.

Application Information

Zidua may be applied preplant surface or preemergence to chickpea (garbanzo bean) for residual preemergence weed control. Use **Zidua** as part of a weed control program in chickpea either in combination or sequentially with other herbicides for a broader spectrum of weed control and/or control of emerged weeds.

Before applying to chickpea, verify with your local seed company (supplier) the selectivity of **Zidua** on your variety to avoid potential injury.

Application Rate

Apply **Zidua** in chickpea at the residual rates provided in **Table 1**.

Table 1. Residual Rates of Zidua in Chickpea

Application Timing	Use Rate by Soil Texture ¹ (ozs/A)		
	Coarse	Medium	Fine
Preplant Surface	DO NOT USE	1.5	1.5 to 2.0
Preemergence	DO NOT USE	1.5	1.5 to 2.0

¹ Refer to **Zidua** product container label for definitions of soil texture groups.

Application Timing

Zidua[®] herbicide may only be applied in a single application.

Preplant Surface Application

Apply **Zidua** at use rates specified in **Table 1** as a broadcast spray to the soil surface within 30 days of planting.

Preemergence Surface Application

Apply **Zidua** at use rates specified in **Table 1** as a broadcast spray to the soil surface after planting and before crop emergence.

Crop-specific Restrictions

- **On medium soils - DO NOT** apply more than 1.5 ozs/A of **Zidua** (0.08 lb ai/A of pyroxasulfone) in a single yearly application.
- **On fine soils - DO NOT** apply more than 2.0 ozs/A of **Zidua** (0.106 lb ai/A of pyroxasulfone) in a single yearly application.
- **DO NOT** apply **Zidua** in combination with other pyroxasulfone-containing products in chickpea.
- **DO NOT** apply **Zidua** to emerging or emerged chickpea as severe crop injury will occur.
- **DO NOT** apply **Zidua** to chickpea grown on coarse soils.
- There is no required (preharvest) interval between a preplant or preemergence application of **Zidua** and the harvest of chickpea.
- Legume vegetable forage and hay may be fed to or grazed by livestock.

Tank Mixtures

It is the pesticide user's responsibility to ensure that all products are registered for the intended use. Read and follow the applicable restrictions and limitations and directions for use on all product labels involved in tank mixing. Users must follow the most restrictive directions for use and precautionary statements of each product in the tank mixture.

Zidua may be tank mixed or applied sequentially with other herbicide products registered for use in chickpea for a broader spectrum of control and/or control of emerged weeds. Refer to the tank mix product labels to confirm that the respective tank mix products are registered for use on chickpea. Follow the adjuvant directions for the tank mix partner of **Zidua**.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

Zidua is a registered trademark of BASF.

The  symbol is a registered trademark of Kumiai Chemical Industry Co., Ltd.

© 2019 BASF Corporation
All rights reserved.

007969-00338.20190111c.NVA 2018-04-388-0124

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709



We create chemistry